



Contents

What are monthly updates? 1
 What's in this update? 1
 Where to download the update?..... 2
 Who should read this release note? . 2
 What you should know about this update..... 3
 Before you install the update 5
 Install the update 5
 Contacting Centricity Services..... 12

What are monthly updates?

GE Healthcare is moving to monthly updates to provide more up-to-date Medication and Formulary data to its customers. GE will release either a full or incremental update each month:

Full update

A *full update* always contains Medication and Formulary data. It may also contain Patient Handouts, Banners, and ICD9 and CPT Codes, as they become available. A full update can be applied over a new database, a full KnowledgeBase update, or an incremental update. A full update may be applied to Logician 5.6, Centricity Physician Office – EMR, Centricity Practice Solution 2006 and 9.0, or Centricity Electronic Medical Record 9.0.

Incremental update

An *incremental update* contains changes in Medication and Formulary data from the last update. An incremental update can only be installed over the most recent full or incremental KnowledgeBase update. An incremental update may only be applied to Centricity Physician Office – EMR, Centricity Practice Solution 2006, or Centricity Electronic Medical Record v9.0. It is not supported by Logician 5.6.

What's in this update?

The September 2009 update is a full update that includes all previous updates. You do not have to install prior updates before installing this one.

This full update contains the following updated clinical information for Centricity Practice Solution 2006 and v9.0:

- Full Medi-Span medications and medication handouts for September 2009, with changes to extended-release dose forms. See [“What you should know about this update” on page 3](#).
- InfoScan formularies for September 2009

GE Healthcare Integrated IT Solutions
 540 W. Northwest Highway
 Barrington, IL 60010 USA

- ICD-9 enhanced description updates from GEHC terminology
- Formulary Editor medication updates



ExitCare Patient Education Handouts are also available in a separate update. The June ExitCare release may be installed over the June Full Knowledgebase Update or the July or August Incremental Updates. Download the *ExitCare Release Notes* from centricitypractice.gehealthcare.com for more information.

Where to download the update?

To download the September 2009 update, follow the directions in this release note and go to centricitypractice.gehealthcare.com.

Who should read this release note?

If you are the system administrator...

You must be an experienced network administrator with

- Ability to download the update and InfoScan .zip files from the Internet
- Ability to execute SQL queries
- Familiarity with Microsoft SQL Server files, programs, data structures, and transaction architecture
- Supervisor/administrator privileges on network file server

If you are the clinic manager...

- To update your clinic's custom lists, formularies, protocols, clinical kits, and encounter forms with updated information, you must have the ability to use the Formulary Editor and the Encounter Form Editor.
- You must also have certain privileges. On the main menu, click **Administration**. Navigate to **System > User/Location Setup > Security > Main Menu >**
 - **Chart > Add to problem/orders/med custom lists**
 - **Privileges > Change privileges**
 - **Setup > Change formulary settings**
 - **Setup > Change orders settings**
 - **Setup > Import/export clinical content (clinical kits)**

What you should know about this update

Extended-release medication dose forms

The June 2009 update changed the abbreviations used for six tablet and capsule dose forms in the medication reference list. The intent is to help providers and pharmacists recognize continuous-release and extended-release formulations more readily. Note that existing medications in patient charts, medication custom list entries, and medication descriptions in formularies will continue to use the prior abbreviations for now. The following table shows the old and new abbreviations for these dose forms, along with an example of each:

1. Continuous release capsules with an unspecified dosing interval:		
Old:	CPCR	MICRO-K 10 MEQ CPCR (POTASSIUM CHLORIDE)
	to	to
New:	CR-CAPS	MICRO-K 10 MEQ CR-CAPS (POTASSIUM CHLORIDE)
2. Extended release 12-hour capsules:		
Old:	CP12	DIAMOX SEQUELS 500 MG CP12 (ACETAZOLAMIDE)
	to	to
New:	XR12H-CAP	DIAMOX SEQUELS 500 MG XR12H-CAP (ACETAZOLAMIDE)
3. Extended release 24-hour capsules:		
Old:	CP24	INDERAL LA 80 MG CP24 (PROPRANOLOL HCL)
	to	to
New:	XR24H-CAP	INDERAL LA 80 MG XR24H-CAP (PROPRANOLOL HCL)
4. Continuous release tablets with an unspecified dosing interval:		
Old:	TBCR	AMBIEN CR 6.25 MG TBCR (ZOLPIDEM TARTRATE)
	to	to
New:	CR-TABS	AMBIEN CR 6.25 MG CR-TABS (ZOLPIDEM TARTRATE)
5. Extended release 12-hour tablets:		
Old:	TB12	OXYCONTIN 30 MG TB12 (OXYCODONE HCL)
	to	to
New:	XR12H-TAB	OXYCONTIN 30 MG XR12H-TAB (OXYCODONE HCL)
6. Extended release 24-hour tablets:		
Old:	TB24	METFORMIN HCL 500 MG TB24 (METFORMIN HCL)
	to	to
New:	XR24H-TAB	METFORMIN HCL 500 MG XR24H-TAB (METFORMIN HCL)

New CCC Medication Custom Lists

New CCC Medication Custom Lists are available on centricitypractice.gehealthcare.com, with updated extended-release Dose Forms to match medication reference data.

Medication codes

For some medications, you may be unable to find a corresponding Lexi-Comp Online™ medication monograph, because the CPS application and Lexi-Comp databases may be out-of-sync.

Updated InfoScan formularies

Due to customer feedback, the vendor for InfoScan formularies (MediMedia) has restored the Brand/Generic Processing Rule beginning with the December 2008 update. This is a temporary change to address usability issues reported by customers. In the longer term, the formulary model in Centricity EMR and Centricity Practice Solution will be updated so that Brand/Generic processing is unnecessary.

The Brand/Generic Rule does the following:

- When a health plan includes a brand-name drug, the brand will generally have a "Tier 2" or higher status. If a generic is available for this brand but is not included in the formulary, and if the plan's "generic policy" states that all generics are required, then the generic is added to the formulary by this rule and both the brand and the generic are assigned a "Tier 1" or "Preferred" status.
- If a health plan includes a generic drug with a "Tier 1" or "Preferred" status, and an equivalent brand exists but is not included in the formulary, then the brand equivalent is added to the formulary by this rule and is assigned a "Tier 1" or "Preferred" status.

For updated InfoScan formularies, go to centricitypractice.gehealthcare.com to download only those InfoScan formulary kits that you use. To subscribe to InfoScan formularies, contact your sales representative.



DO NOT download all the kits. Use the **Formularies.txt** file available with this update to look up each formulary you use and determine the corresponding clinical kit number. (This file is displayed from centricitypractice.gehealthcare.com by clicking **InfoScan Listing by Kit Name**.)

Some medication comments may be truncated

Medications in InfoScan formularies may include comments describing pre-authorization requirements, recommended dosages, step therapy protocols, or other information useful to the prescribing clinician. As formularies have evolved to provide more information to the clinician, some medication comments have grown to exceed 255 characters, which is the limit that the CPS application can display. Until this limitation can be removed in a future Service Pack, comments exceeding the limit will be truncated, as denoted by

"...Truncated" at the end of the comment. The full text of a truncated comment may be obtained through your formulary contact.

Before you install the update

This release is an accumulation of all previous updates since the last release of the CPS application. You do not have to install prior updates before installing this one. Unless otherwise stated, information in this document applies to all supported computing environments and network operating systems.

- If you use Windows 2000 or Windows 2003 database server, run the setup from the server console.

Formulary updates

Formulary providers may change their formulary names periodically. If you have created your own formulary using the same name used by a formulary provider, your formulary may be renamed with this update.

To continue using your formulary and to maintain its insurance plan associations, you'll need to change the formulary name to a new name prior to installing this update. Otherwise, your formulary will be overwritten. Review the **formularies.txt** list included in the update to verify that your name is unique.

Plan time to install

The estimated time required to install this update is 10 to 40 minutes, depending on the speed of your server and network connection.

All users must exit the application

Before you install this update, all users must exit the CPS application and the LinkLogic Data Transfer Station (DTS). Plan the installation for a time that won't interfere with normal clinic activity.

Have a current backup

Before you install this update, verify that you have a current verified cold backup of the CPS application database, the LinkLogic network folder, and the Microsoft SQL Server database files.

Install the update

Who completes this section? System administrator

- 1 Log into the Windows workstation that has the ServerSetup program installed for your Microsoft SQL Server database.
- 2 Create a Knowledgebase Update directory on your system, in which you can save the updated .zip files.
- 3 Go to centricitypractice.gehealthcare.com and click **Centricity Practice Solution**.

- 4 Click **CPS Downloads** and scroll to the **CPS Knowledgebase Update** section.
- 5 To download the update's .zip files, click **September 2009 Full Knowledgebase Update for CPS**. Save and unzip the .zip files into the Knowledgebase Update directory on your workstation.
- 6 To view this note, click **September 2009 Full Knowledgebase Update for CPS Release Notes**.
- 7 In your Knowledgebase Update directory, locate and open the file **ReadMeCPSKB.txt** (CPS 2006). Follow the instructions in this file to complete the installation of this full update.
- 8 If you disabled anti-virus software or turned off backup scripts, re-enable the anti-virus software and turn the backup scripts on.

Review your implementation

Once the system administrator installs the update, verify that your clinic's custom lists, formularies, protocols, clinical kits, and encounter forms (including the Visit Manager forms) reflect the information from the update. You may need the assistance of your Formulary Editor and Encounter Form Editor experts to complete the sections below.

Review medication custom lists and protocols

From time to time, medication codes become obsolete—for example, when a drug is removed from the market or the formulation changes. After you install this update, review your medication custom lists and protocols.

Review medication custom lists

Who completes this section: Clinic manager or someone with a clinical understanding of equivalent medications

- 1 Review the **med_chngs_current.txt** and **med_chngs_prior.txt** files included in the update for medication codes that are now obsolete.
- 2 From the main menu, click **Charts** then **Reports**. Select the **Reports** tab. In the MedicalLogic folder, select and print the **Uncoded Medication Custom List Entries Report**.
- 3 Go to **Administration** and select **Chart > Medication Custom Lists**.
- 4 For each list that contains an obsolete medication, locate the medication and replace it with an active medication from the MediSpan list.



DO NOT add medications without strengths to a custom list. If chosen, these medications are not associated with patient handouts. (To use medications without strength, install this update.)

Review protocols

- 1 Review the **med_chngs_current.txt** and **med_chngs_prior.txt** files included in the update for medication codes that are now obsolete.
- 2 From the main menu, click **Administration** then select **Chart > Protocols**.
- 3 Find each protocol that refers to an obsolete medication and click **Change**.
- 4 Switch to the Population section and select **Medications**.
- 5 Select the obsolete medication, then click **Change**. Use **Change Protocol Medication** to select the new code.

Review handouts and illustrations

!!! The remaining procedures in this section do not apply to the September 2009 update. See the *ExitCare Release Notes* for more information about the separate update for ExitCare.

Review your handouts custom lists

Handout custom list clinical kits exported before installing the Knowledgebase update will be invalid once you install the update. You must, therefore, review your handout custom lists and re-export any clinical kits containing handouts to ensure that the kits are current.

After an update to handouts, verify the contents in your My Folder. Deleted handouts will no longer appear and handout names may change; you can add any of the new ones.

Review handouts custom lists

Who completes this section: clinic manager

- 1 Review the **handout_chgs_current.xls** file included in the Knowledgebase update and mark any added or deleted handout names used by your clinic.



The **handout_chgs_current.xls** file is not included in the September 2009 update. See the *ExitCare Release Notes* for more information about the separate update for ExitCare.

- 2 From the main menu, click **Administration** then select **Charts > Handouts > Custom Lists**.
- 3 Highlight the name of an existing handout custom list.
- 4 Click **Change** to the right of the List Contents section.
- 5 To add a new handout, browse to it. Highlight it and click **OK**. You can select more than one by using **Shift+click** or **Ctrl+click**.

Re-export external custom list clinical kits

Once you have updated your custom lists, you must re-export any external clinical kits containing your custom list for handouts.

Who completes this section: clinic manager

- 1 From the main menu, click **Administration** then select **System > Export Clinical Kits**.
- 2 Select **Handout Custom Lists** from the list of Available Components.
- 3 Complete the following:
 - To add all of the handout custom lists, click **Add All**.
 - To add specific handouts, click **Add handout custom list**.
- 4 Browse the folders to find the handout custom list you updated in the section above.
- 5 Select the handout custom list and click **OK**.
- 6 Repeat for each handout custom list to include with the kit.
- 7 Click **Export Clinical Kit**, name the kit, and designate an export location.

Update encounter forms with handout IDs

Due to Knowledgebase handout additions and deletions, some handout IDs may have changed. If you print specific handouts from your encounter forms, you will need to update the handout ID and re-import your encounter forms into Centricity Practice Solution.

Review your encounter forms

Who completes this section: clinic manager or Encounter Form Editor expert

- 1 Review the **handout_chgs_current.xls** file included in the update and mark any added or deleted handout names used by your clinic.



The **handout_chgs_current.xls** file is not included in the September 2009 update. See the *ExitCare Release Notes* for more information about the separate update for ExitCare.

- 2 Check whether your forms use the following MEL data symbols:
 - **PRINTHANDOUT** - Allows a specific handout, based on handout ID, to be printed directly from a button on a form. This data symbol uses handout IDs that may have changed due to this update.
 - **NEWHANDOUT** - Adds a button to a form to open the print handout dialog with a specified custom list. This data symbol will continue to work unless you changed the name of the handout custom list.
- 3 Update the form's **PRINTHANDOUT** data symbol with the new handout ID or the **NEWHANDOUT** data symbol with the new handout custom list name.
- 4 Import the revised encounter form into Centricity Practice Solution.

Import updated encounter forms

Who completes this section: clinic manager

- 1 Before importing clinical kits, back up all your existing clinical materials. If you make a mistake when importing, reliable backups make it easier for you to fix the mistake.
- 2 From the main menu, click **Administration** then select **System > Import Clinical Kits**.



Test the import of your clinical kit in your network training database before importing it into your production system.

- 3 To examine the contents of a clinical kit before importing, click **Preview Clinical Kit**.
- 4 To import a kit, click **Import Clinical Kit**.
- 5 Browse to the location of the kit and select the kit file (with an extension of *.ckt). Click **OK**.

When creating an encounter form, your Encounter Form Editor expert designates where to store it in Centricity Practice Solution during a clinical kit import. Contact your Encounter Form Editor expert for location information.

Update formularies

Formulary providers may change their formulary names periodically. If you have created your own formulary using the same name used by a formulary provider, your formulary may be renamed in the CPS application with this update.

To continue using your formulary and to maintain its insurance plan associations, you'll need to change the formulary name to a new name prior to installing this update. Otherwise, your formulary will be overwritten. Review the **formularies.txt** list included in the update to verify that your name is unique.

New drugs and new formulations of existing drugs become available frequently. Other drugs are taken off the market. You must keep your formularies up to date so that providers have access to correct drug information. The Formulary Editor uses a MediSpan database, which GE reformats so you can import the update into the Formulary Editor. As a registered user of the Formulary Editor, you will receive all updates to the database.

Update the Formulary Editor database

Updating the MediSpan database also updates any formularies in the Formulary Editor's database. This is the easiest way to update your formularies. To update the database and formularies at the same time, import existing formularies prior to updating. For instructions on importing formularies, see the guide *Using Formulary Editor*.

Update the MediSpan database



Complete the following steps on the same workstation on which the Formulary Editor is installed.

Who completes this section: Clinic manager or someone with a clinical understanding of formularies and the Formulary Editor

- 1 Review the **formulary_name_chgs.txt** file included in the update for a list of new formulary names and the names they replace.
- 2 Review the **med_chngs_current.txt** and **med_chngs_prior.txt** files included in the update for a list of prescription drugs and OTC drugs added to and deleted from the database.
- 3 Start the Formulary Editor.
- 4 From the **Database** menu, select **Update MediSpan Data**.
- 5 When prompted, do one of the following:
 - If you have the 2005 version of the Formulary Editor, browse to and select **feupdate2000.mdb**.
 - For all prior versions of the Formulary Editor, browse to and select **feupdate.mdb**.
- 6 When the Formulary Editor updates the database, it updates the formularies resident in the database. During the update, the Formulary Editor creates a list of drugs that are no longer in the MediSpan data but are referenced by one or more formularies in the Formulary Editor's database. The list is written to the FEUPDATE.LOG file in your Formulary Editor directory. After updating, view this file in NotePad. Following is a partial sample report:

```
Date: 12/9/06 6:11:29 PM
MediSpan version 2006.1 updated to version 2006.2.
The following drugs in CHC Gold are no longer supported
and were removed:
```

```
Ampicillin Trihydrate    POWD
Aquamist 600 MG TBCR
Aquasol A 25000 IU CAPS
Aquasol A 50000 IU CAPS
Auragen 5.6-1.4% SOLN
Bentyl 20 MG CAPS
Bio-Cot 10-3.5-10000 SOLN
```

Update formularies in the Formulary Editor

You must add information to each formulary about any new drugs or formulations. New drugs are often expensive, and you might want to specify alternatives for these drugs. Always export a copy of each formulary after you're done working on it. Save the formulary files in a convenient location so they're easy to update.

Update formularies in Formulary Editor

Who completes this section: Clinic manager or someone with a clinical understanding of formularies and the Formulary Editor

- 1 If necessary, in Formulary Editor, re-import a formulary created with a previous version of the MediSpan data.
Re-importing automatically removes obsolete product formulations from the formulary. Deletions are recorded alphabetically by medication name in the **feerrors.log** file in your Formulary Editor directory.
- 2 Make changes to the formulary based on new medications that have been introduced with the MediSpan update.
Use the **med_chngs_current.txt** file included on your Knowledgebase update to determine which new medications to add to your formulary.
- 3 Re-export the formulary and distribute it to EMR sites.

Import the InfoScan formularies

If you use formularies and you have subscribed to the InfoScan formulary database, import formularies for health plans your patients are covered under. If you have subscribed to this service, you can download and import the formulary clinical kits from centricitypractice.gehealthcare.com into the CPS application.



Before importing formularies from the InfoScan database, you must first install the current Knowledgebase update.

Import formularies

Who completes this section: Someone with a clinical understanding of formularies

- 1 Make a list of the insurance plans that cover your patient population and identify which of these plans specify formularies you want to use.
- 2 Once you have a list of formularies you want to import into the CPS application, refer to the **Formularies.txt** file to get the name of the associated clinical kits.
Formularies.txt lists the formularies by plan name in alphabetical order. For instance, if one of your health plans were Rocky Mountain Medicare, you would find in the report that its clinical kit file is I2783.ckt.
FormularyChanges.txt lists formularies that have been added, dropped, or changed by the plan since the last update.
- 3 Go to centricitypractice.gehealthcare.com.
- 4 In **Current Downloads**, click **InfoScan Download**.
- 5 To list the kits available, click either **InfoScan listing by kit name** or **InfoScan listing by kit number**. To list the contents of the **Formularies.txt**

file, click **Formulary List**. To list the contents of the **FormularyChanges.txt** file, click **Formulary Changes**.



If you cannot find the formularies that you use on centricitypractice.gehealthcare.com, e-mail the following information to centricityemrservices@ge.com: plan name exactly as it appears on the patient's insurance card, any plan ID numbers, the state where the plan originates, and your contact information.

- 6 To download the kits you want, click on the kit's link in the listing.
- 7 Save and unzip the .zip file onto your workstation.
- 8 On your workstation, import each kit into the CPS application.

Associate an insurance plan with a formulary

Once you have imported the formularies into the CPS application, associate each formulary with its corresponding plan(s). Or, choose to preserve the association when re-importing a newer version of a formulary.

- 1 From the main menu, click **Administration** then select **Chart > Formulary Management**.
- 2 Select the formulary and click **Associate**.
- 3 In the **Insurance Company** list, select the insurance company.
- 4 In the **Plan** list, select the insurance plan that you want to associate with this formulary and click **OK**.
- 5 To set up the default formulary for your enterprise, select the formulary and click **Set Formulary as Default**.
- 6 To view details about a formulary, select the formulary and click **Details**.

Contacting Centricity Services

If you require further help or have any questions regarding this update, contact Centricity Services at 888.436.8491.

When you subscribe to the Centricity Services mailing list, you receive e-mail announcements of Service Pack releases, weekly product alerts, maintenance reminders, tips and tricks, and other information on supporting the CPS application. All Centricity Practice customers can receive this free mailing list. To sign up, send an e-mail to centricityemrservices@ge.com and place **listserve-subscribe** in the subject line. Include your name, your company name, address, and phone number in the body of the message. Requests will be processed within three working days, and you will receive a welcome message confirming your subscription.